

# WOOD COATINGS



Water Based									•		•	•	•	•
Solvent Based	•	•	•	•	•	•	•			•				
Vertical Surface	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Horizontal Surface	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Interior Surface	•	•			•	•	•	•	•	•			•	•
Exterior Surface		•	•	•				•	•	•	•	•	•	•
Interior Furniture		•			•	•	•	•	•	•			•	•
Interior Floors	•					•			•					•
Interior Balustrades	•				•	•	•	•	•	•			•	•
Interior Bookcases					•	•	•	•	•	•			•	
Interior Counter Tops (Wood)	•				•		•	•	•	•			•	•
Interior Doors					•	•	•	•	•	•			•	•
Interior Picture Frames					•	•	•	•	•	•			•	
Exterior Garage Doors		•	•	•				•	•		•	•	•	•
Exterior Fascias & Fences		•	•	•							•	•		
Exterior Furniture		•	•	•				•	•	•	•	•	•	•
Exterior Shutters		•	•	•				•	•		•	•	•	•
Exterior Window Frames		•	•	•				•	•		•	•	•	•
Exterior Wooden Decks		•	•								•	•	•	•

Finish	Satin	Gloss or Matt	Matt	Gloss	Gloss, Matt or Velvet	Matt	High Gloss	Satin	Satin	Satin	Satin	Satin	Satin
Application	Brush or Roller	Brush	Brush or Roller	Brush	Brush	Brush or Cloth	Brush	Brush	Cloth	Cloth	Brush or Roller	Brush or Roller	Brush
Colours	Clear	Clear	Clear, Teak or Mahogany	Clear, Meranti, Mahogany, Sapele, Dark Oak, Kiaat or Imbuia	Clear	White, Honey, Mahogany, Meranti, Medium Oak, Teak, Antique Oak, Espresso, Imbuia, Dark Grey or Ebony	Clear	Clear, Light Brown or Dark Brown	Clear	Clear	Clear	Clear	Clear, White, Light Grey, Dark Grey, Green or Black
Spread Rate	Hardwood: 10m <sup>2</sup> /lt Softwood: 5m <sup>2</sup> /lt	8-10m <sup>2</sup> /lt	8-10m <sup>2</sup> /lt	8m <sup>2</sup> /lt	± 5-8m <sup>2</sup> /lt	Hardwood: 8-10m <sup>2</sup> /lt Softwood: 6-8m <sup>2</sup> /lt	Hardwood: 8-10m <sup>2</sup> /lt Softwood: 6-8m <sup>2</sup> /lt	8-10m <sup>2</sup> /lt	Hardwood: 8-10m <sup>2</sup> /lt Softwood: 6-8m <sup>2</sup> /lt	Hardwood: 5-6m <sup>2</sup> /lt Softwood: 3-4m <sup>2</sup> /lt	± 8-10m <sup>2</sup> /lt	± 8-10m <sup>2</sup> /lt	Smooth Surfaces: 6-8m <sup>2</sup> /lt Rough Surfaces: 3-4m <sup>2</sup> /lt
Number Of Coats	Three	Three	Two	Two	Three	Two (Min)	Two	Three	One	One	Three	Three	Two
Touch Dry (at 20°C)	2-3 hours	8 hours	24 hours	8 hours	4-6 hours	1 hour	12-24 hours	3-4 hours	15 minutes	15 minutes	3-4 hours	3-4 hours	± 2-4 hours
Re-Coating Time	2-4 hours	8 hours	24 hours	± 8 hours	± 4-8 hours	± 15 minutes	12-24 hours	3-4 hours	± 15 minutes	± 15 minutes	3-4 hours	3-4 hours	2 hours
Clean Up	Nova 11	Nova 11	Nova 11	Nova 11	Nova 11	Nova 11	Nova 11	Nova 11	Warm soapy water		Warm soapy water	Warm soapy water	Warm soapy water
Pack Size	5lt	1lt, 5lt	1lt, 5lt	1lt, 5lt	500ml, 1lt, 5lt	500ml, 5lt	5lt	1lt	500ml, 1lt	500ml, 1lt	5lt	500ml, 1lt, 5lt	5lt

Note: Coverage rates & colour are subject to variation between timber species. Please refer to application instructions listed on the container before use.